Greenfield Care Home (fictional)

Needs action

Checks were 86% on time, down 1 point on October. 2 readings went out of range on the Medication fridge temperature and Food fridge; each one raised an urgent task. 5 rooms are below the 90% target: Laundry, Bathroom 3 and Dining room. 4 incidents; 5 of 5 follow-up actions done.

Manager's comment

Laundry and Bathroom 3 checks below target: dryer checks moved to the start of the late shift and outlet flushing added to the night round.

ON TIME	MISSED	OUT OF RANGE	INCIDENTS
86%	27	2	4
▼ 1 pt	▲ from 26	▼ from 5	▼ from 6

WORTH ASKING ABOUT

- Near miss in Dining room on 27 Nov happened again on 15 Dec
- On-time checks at 86%, below the 90% target
- Laundry checks at 67%, below the 90% target for the second month running



On time, last 3 months · dashed: 90% target

Signed off by Sample registered manager on 4 Dec 2025, 10:00

Checks

Every check, every day

Nothing hidden: gaps and late records show exactly where they happened.

On time · L Recorded late · Missed · Not finished yet · Not scheduled



Rooms, lowest first

On-time rate by room. Dashed line: the 90% target.



Checks with missed or late windows

Check	Room	Days missed	Recorded late	On time
Laundry dryer & lint check	Laundry	8	2	67%
Food fridge & freezer — PM	Kitchen	3	3	80%
Dining room clean	Dining room	3	2	83%
Medication fridge	Clinic room	3	0	95%
Food fridge & freezer — AM	Kitchen	1	0	97%
Water outlets flush	Bathroom 3	1	0	75%
Fire alarm test	Ground floor corridor	0	1	75%

Readings

Every temperature and reading recorded, one chart per line. Shaded: the acceptable range. Ringed dots: out of range.

Medication fridge temperature · Medication fridge



57 readings · lowest 3.1°C · highest 10.6°C · 1 out of range · should be 2 to 8°C

Food fridge · Food fridge & freezer — AM



29 readings · lowest 2.4°C · highest 4°C · 0 out of range · should be 0 to 5°C

Freezer · Food fridge & freezer — AM



29 readings · lowest −20°C · highest −17.7°C · 0 out of range · should be −22 to −15°C

Food fridge · Food fridge & freezer — PM



27 readings · lowest 2.9°C · highest 6.4°C · 1 out of range · should be 0 to 5°C

Freezer · Food fridge & freezer — PM



27 readings · lowest −19.2°C · highest −17°C · 0 out of range · should be −22 to −15°C

CQC evidence

Each check is tagged to the Fundamental Standards it evidences (Health and Social Care Act 2008 (Regulated Activities) Regulations 2014). Mapping to be confirmed by the registered manager.

Safe

Regulation	Checks	On time	Incidents
Reg 12 · Safe care and treatment	7	144 of 161 (89%)	4
Reg 15 · Premises and equipment	5	55 of 72 (76%)	0

Effective

Regulation	Checks	On time	Incidents
Reg 14 · Meeting nutritional and hydration needs	2	53 of 60 (88%)	0

Caring

No checks or incidents recorded under this key question.

Responsive

No checks or incidents recorded under this key question.

Well-led

Reg 17 · Good governance: this pack, its sign-off, the learning loop, and honest late and missed records.

Incidents and learning

Incidents by severity, last six months



Incidents by type, last six months



Did the fix work?

Incident	Actions	Closed in	Happened again?
27 Nov 2025 — Near miss, Dining room (low)	Spill kit restocked (1 of 1 done)	5 days	Yes, on 15 Dec 2025
20 Nov 2025 — Fall, Lounge (low)	Review mobility assessment; Sensor mat fitted (2 of 2 done)	5 days	No
12 Nov 2025 — Injury, First-floor corridor (medium)	First aid review (1 of 1 done)	5 days	No
4 Nov 2025 — Injury, Kitchen (medium)	First aid review (1 of 1 done)	1 day	No

Escalations: jobs staff pushed up to a manager

No jobs were escalated to a manager.

Sign-off

Signed off by: Sample registered manager
Date and time: 4 Dec 2025, 10:00

Statement: I have reviewed this governance pack for November 2025. It is an accurate record of the scheduled checks, incidents and follow-up actions at Greenfield Care Home (fictional) for the period, and any actions needed are in hand.

Manager's comment: Laundry and Bathroom 3 checks below target: dryer checks moved to the start of the late shift and outlet flushing added to the night round.

This signed pack is stored unchanged and its SHA-256 fingerprint is recorded in CareOps, so any copy can be checked against the original.